


Dietary Patterns and Growth, Body Composition, and Risk of Obesity: A Systematic Review Protocol

Deanna M. Hoelscher, PhD, RDN, LD, CNS, FISBNPA, a,b Cheryl A.M. Anderson, PhD, MPH, MS, a,c Sarah Booth, PhD, a,d Andrea Deierlein, PhD, MPH, MS, a,e Teresa Fung, ScD, RD, a,f Christopher Gardner, PhD, a,g Edward Giovannucci, MD, ScD, a,h Hollie Raynor, PhD, RD, LDN, a,f Fatima Cody Stanford, MD, MPH, MPA, MBA, FAAP, FACP, FAHA, FAMWA, FTOS, a,h Sameera Talegawkar, PhD, a,f Chris Taylor, PhD, RDN, LD, FAND, a,k Deirdre Tobias, ScD, a,h Julie Obbagy, PhD, RD, Emily H. Callahan, MS, Laural Kelly English, PhD, Amanda Fultz, PhD, Julie Nevins, PhD, Ramkripa Raghavan DrPH, MPH, MSc, Nicole Reigh, PhD, Sara Scinto-Madonich, MS, Molly Higgins, MLIS, Gisela Butera, MEd, MLIS, Nancy Terry, MLISP





^a Dietary Patterns and Specific Dietary Pattern Components Across Life Stages Subcommittee, 2025 Dietary Guidelines Advisory Committee

^b UT Health Houston School of Public Health, Subcommittee Chair

^c University of California San Diego

^d Tufts University, Committee Chair

e New York University

f Simmons University

^g Stanford University

h Harvard University

¹ University of Tennessee Knoxville

^j The George Washington University

k The Ohio State University

¹ Branch Chief, Nutrition Evidence Systematic Review (NESR) Branch; Nutrition Guidance and Analysis Division (NGAD), Center for Nutrition Policy and Promotion (CNPP), Food and Nutrition Service (FNS), U.S. Department of Agriculture (USDA)

^m Systematic Review Analyst, NESR Branch; NGAD, CNPP, FNS, USDA

ⁿ Systematic Review Analyst, Panum Telecom, under contract with FNS, USDA

o Systematic Review Librarian, NESR Branch; NGAD, CNPP, FNS, USDA

^p Biomedical Librarian/Informationist, National Institutes of Health Library

Suggested citation: Hoelscher DM, Anderson CAM, Booth S, Deierlein A, Fung T, Gardner C, Giovannucci E, Raynor H, Stanford FC, Talegawkar S, Taylor C, Tobias D, Obbagy J, Callahan EH, English LK, Fultz A, Nevins J, Raghavan K, Reigh N, Scinto-Madonich S, Higgins M, Butera G, Terry N. Dietary Patterns and Growth, Body Composition, and Risk of Obesity: A Systematic Review Protocol. May 2023. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/protocols

Related citation: Boushey C, Ard J, Bazzano L, Heymsfield S, Mayer-Davis E, Sabaté J, Snetselaar L, Van Horn L, Schneeman B, English LK, Bates M, Callahan E, Butera G, Terry N, Obbagy J. Dietary Patterns and Growth, Size, Body Composition, and/or Risk of Overweight or Obesity: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0101

The contents of this document may be used and reprinted without permission. Endorsements by NESR, NGAD, CNPP, FNS, or USDA of derivative products developed from this work may not be stated or implied.

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons using assistive technology should be able to access information in this report. For further assistance please email SM.FN.NESR@USDA.gov.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at How to File a Program Discrimination Complaint and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by:

- (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410;
- (2) fax: (202) 690-7442; or
- (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.

Table of contents

Table of contents	3
Introduction	4
Methods	5
Develop a protocol	6
Develop an analytic framework	7
Develop inclusion and exclusion criteria	10
Search for and screen studies	14
Extract data and assess the risk of bias	14
Synthesize the evidence	14
Develop [a] conclusion statement[s] and grade the evidence	14
Recommend future research	15
Acknowledgments and funding	15
Appendix	16
Table 1. Review history	4
Table 2. Protocol revisions	7
Table 3. Inclusion and exclusion criteria	10
Figure 1. Analytic framework for the systematic review question: What is the relationship between dietary patterns consumed and growth, body composition, and risk of obesity?	9

Introduction

To prepare for the development of the *Dietary Guidelines for Americans, 2025-2030*, the U.S. Departments of Health and Human Services (HHS) and Agriculture (USDA) identified a proposed list of scientific questions based on relevance, importance, potential federal impact, and avoiding duplication, which were posted for public comment.* The Departments appointed the 2025 Dietary Guidelines Advisory Committee (Committee) in January 2023 to review evidence on the scientific questions. The proposed scientific questions were refined and prioritized by the Committee for consideration in their review of the evidence. Their review forms the basis of their independent, science-based advice and recommendations to HHS and USDA, which is considered as the Departments develop the next edition of the *Dietary Guidelines*. As part of that process, the following systematic review question has been identified: What is the relationship between dietary patterns consumed and growth, body composition, and risk of obesity? The Committee will conduct a systematic review to address this question, with support from USDA's Nutrition Evidence Systematic Review (NESR) team. This question will update the systematic review conducted by the Dietary Patterns Technical Expert Collaborative (TEC) (Table 1).

Table 1. Review history

Date	Description	Citation
August 2014	Original systematic review conducted by the Dietary Patterns Technical Expert Collaborative published in 2014	Dietary Patterns Technical Expert Collaborative and NESR Staff. A Series of Systematic Reviews on the Relationship Between Dietary Patterns and Health Outcomes. March 2014. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/sites/default/files/2019-06/DietaryPatternsReport-FullFinal2.pdf
April 2019	Original systematic review conducted by the Complementary Feeding Tec Technical Expert Collaborative published in 2019	English LK, Obbagy JE, Wong YP, Psota TL, Nadaud P, Johns K, Terry N, Butte NF, Dewey KG, Fleischer DM, Fox MK, Greer FR, Krebs NF, Scanlon KS, Casavale KO, Spahn JM, Stoody E. Types and Amounts of Complementary Foods and Beverages and Growth, Size, and Body Composition: A Systematic Review. April 2019. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.PB242018.SR0306.
July 2020	Systematic review protocol applied by the 2020 Dietary Guidelines Advisory Committee published as an updated systematic review for children and adolescents, and as an evidence scan for adults and older adults	Boushey C, Ard J, Bazzano L, Heymsfield S, Mayer-Davis E, Sabaté J, Snetselaar L, Van Horn L, Schneeman B, English LK, Bates M, Callahan E, Butera G, Terry N, Obbagy J. Dietary Patterns and Growth, Size, Body Composition, and/or Risk of Overweight or Obesity: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0101
July 2020	Systematic review conducted by the 2020 Dietary Guidelines Advisory Committee on Dietary Patterns during Pregnancy and Gestational Weight Gain	Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Pregnancy and Gestational Weight Gain: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0201

^{*} Dietary Guidelines for Americans: Learn About the Process. 2022. Available at: https://www.dietaryguidelines.gov/work-under-way/learn-about-process

Date	Description	Citation
July 2020	Systematic review conducted by the 2020 Dietary Guidelines Advisory Committee on Dietary Patterns during Lactation Postpartum weight loss	Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Lactation and Postpartum Weight Loss: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020. SR0202
May 2023	Systematic review protocol for the 2025 Dietary Guidelines Advisory Committee published online	Hoelscher DM, Anderson CAM, Booth S, Deierlein A, Fung T, Gardner C, Giovannucci E, Raynor H, Stanford FC, Talegawkar S, Taylor C, Tobias D, Obbagy J, Callahan EH, English LK, Fultz A, Nevins J, Raghavan K, Reigh N, Scinto-Madonich S, Higgins M, Butera G, Terry N. Dietary Patterns and Growth, Body Composition, and Risk of Obesity: A Systematic Review Protocol. May 2023. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/protocols
October 2023	Revisions to the systematic review protocol for the 2025 Dietary Guidelines Advisory Committee published online	Hoelscher DM, Anderson CAM, Booth S, Deierlein A, Fung T, Gardner C, Giovannucci E, Raynor H, Stanford FC, Talegawkar S, Taylor C, Tobias D, Obbagy J, Callahan EH, English LK, Fultz A, Nevins J, Raghavan K, Reigh N, Scinto-Madonich S, Higgins M, Butera G, Terry N. Dietary Patterns and Growth, Body Composition, and Risk of Obesity: A Systematic Review Protocol. May 2023. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/protocols

Methods

The NESR methodology manual * has a detailed description of the NESR methodology as it will be applied in the systematic reviews for the Dietary Guidelines for Americans, 2025-2030 Project. This section presents an overview of the specific methods that will be used to by the Committee to answer the systematic review question: What is the relationship between dietary patterns consumed and growth, body composition, and risk of obesity?

This systematic review updates an existing NESR systematic review that examined dietary patterns consumed from birth to 24 months of age that was completed as part of the Pregnancy and Birth to 24 Months Project by the Complementary Feeding Technical Expert Collaborative[†], which included evidence published from January 1980 to July 2016. This updated systematic review will synthesize the studies from the original, existing review with eligible studies published since January 1980 as one body of evidence, according to the methods described below.

^{*} USDA Nutrition Evidence Systematic Review Branch. USDA Nutrition Evidence Systematic Review: Methodology Manual. February 2023. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/methodology-overview

[†] English LK, Obbagy JE, Wong YP, Psota TL, Nadaud P, Johns K, Terry N, Butte NF, Dewey KG, Fleischer DM, Fox MK, Greer FR, Krebs NF, Scanlon KS, Casavale KO, Spahn JM, Stoody E. Types and Amounts of Complementary Foods and Beverages and Growth, Size, and Body Composition: A Systematic Review. April 2019. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.PB242018.SR0306

This systematic review updates an existing NESR systematic review that examined dietary patterns consumed by children and adolescents that was updated by the 2020 Dietary Guidelines Advisory Committee*, which included evidence published from January 2013 to October 2019. This updated systematic review will synthesize the studies from the original, existing review with eligible studies published since January 1980 as one body of evidence, according to the methods described below.

This systematic review updates an existing NESR systematic review that examined dietary patterns consumed by adults and older adults that was completed as part of the Dietary Patterns Systematic Reviews Project by the Dietary Patterns Technical Expert Collaborative[†], which included evidence published from January 1980 to August 2013; Eligible studies published since August 2013 conducted in adults and older adults will be synthesized, and the new evidence will be assessed as it relates to the existing evidence, according to the methods described below.

This systematic review also updates two existing NESR systematic reviews that examined dietary patterns consumed during pregnancy and postpartum that were completed by the 2020 Dietary Guidelines Advisory Committee[‡], which included evidence published from January 2000 to November 2019. This updated systematic review will synthesize the studies from the existing review with eligible studies published since January 2000 as one body of evidence, according to the methods described below.

Develop a protocol

A systematic review protocol is the plan for how NESR's methodology will be used to conduct a specific systematic review and is established by the Committee, *a priori*, before any evidence is reviewed. The protocol is designed to capture the most appropriate and relevant body of evidence to answer the systematic review question. Development of the protocol involves discussion of the strengths and limitations of various methodological approaches relevant to the question, which then inform subsequent steps of the systematic review process. The protocol describes all of the methods that will be used throughout the systematic review process. Additionally, the protocol includes the following components, which are tailored to each systematic review question: the analytic framework, the inclusion and exclusion criteria, and the synthesis plan. When updating an existing review, the Committee uses the analytic framework and the inclusion and exclusion criteria from the existing review and makes adjustments to the protocol, if necessary. Differences in the inclusion and exclusion criteria between existing and updated reviews are documented in **Appendix 1**.

The protocol for this systematic review was posted online (https://nesr.usda.gov/protocols) in May 2023. Revisions to the systematic review protocol were made during the review process. These revisions are documented in **Table 2**.

^{*} Boushey C, Ard J, Bazzano L, Heymsfield S, Mayer-Davis E, Sabaté J, Snetselaar L, Van Horn L, Schneeman B, English LK, Bates M, Callahan E, Butera G, Terry N, Obbagy J. Dietary Patterns and Growth, Size, Body Composition, and/or Risk of Overweight or Obesity: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0101

[†] Dietary Patterns Technical Expert Collaborative and NESR Staff. A Series of Systematic Reviews on the Relationship Between Dietary Patterns and Health Outcomes. March 2014. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/sites/default/files/2019-06/DietaryPatternsReport-FullFinal2.pdf

[‡] Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Pregnancy and Gestational Weight Gain: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0201; Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Lactation and Postpartum Weight Loss: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0202

Table 2. Protocol revisions

Date	Protocol revision	Description
July 2023	Inclusion and exclusion criteria were added for confounders, specifying that studies must control for at least one key confounder listed in the analytic framework to be included.	This revision was made to enable focus on a stronger body of evidence. The revision was made before any evidence was synthesized.
July 2023	The inclusion and exclusion criteria for the outcome of gestational weight gain were revised to include only those studies that examine adequacy of total gestational weight gain (i.e., in relation to recommendations based on pre-pregnancy BMI). Studies that examine gestational weight gain during certain time periods or trimesters of pregnancy or total gestational weight gain not in relation to recommendations will be excluded.	This revision was made at the beginning of evidence synthesis to focus on the most clinically meaningful measure of gestational weight gain.
July 2023	The inclusion and exclusion criteria for the intervention/exposure and comparator were revised to clarify that: • a study must provide a description of the foods and beverages in both the intervention/exposure and comparator groups to be included. • studies that examine consumption of and/or adherence to similar dietary patterns of which only a specific component or food source differs between groups are excluded.	These revisions were made to clarify the inclusion and exclusion criteria for the intervention/exposure and comparator, but do not represent a change in how the criteria were applied.
September 2023	The inclusion criteria for study duration for weight loss and weight loss maintenance was reduced from ≥6 months and 12 months, respectively, to ≥12 weeks.	This revision was made so that study duration criteria is consistent across all growth, body composition, and risk of obesity outcomes. Longer-term studies on weight loss and weight loss maintenance will be prioritized in evidence synthesis. The revision was made before any evidence was synthesized.
September 2023	The exclusion criteria for outcome were revised to specify that studies that only report unintentional weight loss (i.e., a component of frailty) will be excluded.	This revision was made to clarify the intent of the outcome criteria but does not represent a change in how the criteria were applied.

Develop an analytic framework

An analytic framework visually represents the overall scope of the systematic review question and depicts the contributing elements that will be examined and evaluated. Figure 1 is the analytic framework for the systematic review and shows that the intervention or exposure of interest is dietary patterns consumed by infants, toddlers, children, adolescents, adults, individuals during pregnancy, individuals during postpartum, and older adults. The comparators are different dietary patterns or different levels of adherence to/consumption of the same dietary pattern. The outcomes are Growth (in infants, toddlers, children, adolescents) including: height, length/stature-for-age, weight, weight-for-age, stunting, failure to thrive, wasting, BMI-for-age, weightfor-length/stature, body circumferences (arm, neck, thigh), head circumference; Body composition (in infants, toddlers, children, adolescents, adults, older adults) including: skinfold thickness, fat mass, ectopic fat, fat-free mass or lean mass, waist circumference, waist-to-hip-ratio; Risk of obesity (in children, adolescents, adults, older adults) including: BMI, underweight, normal weight, overweight and/or obesity; Pregnancy and

postpartum-related weight change (in individuals during pregnancy or postpartum) including: gestational weight gain and postpartum weight change. The key confounders may impact the relationships of interest and are sex, age, physical activity, anthropometry at baseline, socioeconomic position, and race and/or ethnicity in all populations, alcohol intake in adults and older adults, smoking in adults, older adults, pregnancy, and postpartum, and parity (pregnancy, postpartum), diabetes mellitus in the current pregnancy (pregnancy), hypertensive disorders in the current pregnancy (pregnancy), and human milk feeding (postpartum). Dietary patterns are defined as the quantities, proportions, variety, or combination of different foods, drinks, and nutrients (when available) in diets, and the frequency with which they are habitually consumed.

Figure 1. Analytic framework for the systematic review question: What is the relationship between dietary patterns consumed and growth, body composition, and risk of obesity?

Population	Intervention/ exposure	Comparator	Outcome	Key confounders
Infants and toddlers (birth up to 24 months) Children and adolescents (2 up to 19 years)	Consumption of a dietary pattern	Different dietary pattern(s) Different adherence/ consumption levels to the same dietary pattern	Growth (in infants, toddlers, children, adolescents) Height, length/stature-for-age Weight, weight-for-age Stunting, failure to thrive, wasting BMI-for-age, weight-for-length/stature Body circumferences (arm, neck, thigh) Head circumference Body composition (in infants, toddlers, children, adolescents, adults, older adults) Skinfold thickness Fat mass, ectopic fat Fat-free mass or lean mass	Sex Age Physical activity Race and/or ethnicity Socioeconomic position Anthropometry at baseline Smoking (adults, older adults) Alcohol intake (adults, older adults)
Adults and older adults (19 years and older)			Waist circumference, waist-to-hipratio Risk of obesity (in children, adolescents, adults, older adults) BMI Underweight Normal weight Overweight and/or obesity Weight gain Weight loss and maintenance (in adults, older adults)	
Individuals during pregnancy and postpartum			Pregnancy and postpartum-related weight change (in individuals during pregnancy or postpartum) Gestational weight gain Postpartum weight change	Age Physical activity Race and/or ethnicity Socioeconomic position Anthropometry at baseline Smoking Parity Diabetes mellitus in the current pregnancy (pregnancy) Hypertensive disorders in the current pregnancy (pregnancy) Human milk feeding status (postpartum)

Synthesis organization:

- I. Population: Infants and toddlers; Children and adolescents; Adults; Older adults; Individuals during pregnancy; Individuals during postpartum
 - i. Outcome: Growth, Body composition, Risk of obesity; Weight loss and maintenance; Pregnancy and postpartum-related weight change

Key definitions:

Dietary patterns: the quantities, proportions, variety, or combination of different foods, drinks, and nutrients (when available) in diets, and the frequency with which they are habitually consumed.

Develop inclusion and exclusion criteria

The inclusion and exclusion criteria provide an objective, consistent, and transparent framework for determining which articles to include in the systematic review (see **Table 3**). These criteria ensure that the most relevant and appropriate body of evidence is identified for the systematic review question, and that the evidence reviewed is:

- Applicable to the U.S. population of interest
- Relevant to Federal public health nutrition policies and programs
- Rigorous from a scientific perspective

Table 3. Inclusion and exclusion criteria

Category	Inclusion Criteria	Exclusion Criteria
Study design	Randomized controlled trials	 Uncontrolled trials[†]
	 Non-randomized controlled trials[*] 	Case-control studies
	 Prospective cohort studies 	Cross-sectional studies
	Retrospective cohort studies	Ecological studies
	 Nested case-control studies 	Narrative reviews
		Systematic reviews
		Meta-analyses
		Modeling and simulation studies
Publication date	• January 1980 – May 2023 [‡]	Before January 1980
P opulation: Study participants	• Human	Non-human
Population:	At intervention or exposure and outcome:	At intervention or exposure and outcome:
Life stage	Infants and toddlers (birth up to 24 months)	Individuals before pregnancy
	 Children and adolescents (2 up to 19 years) 	
	 Adults and older adults (19 years and older) 	
	 Individuals during pregnancy 	
	Individuals during postpartum	

^{*} Including quasi-experimental and controlled before-and-after studies

[†] Including uncontrolled before-and-after studies

[‡] This review update date range encompasses the original systematic review date range, which included articles published from 1980 to 2013

Category

Inclusion Criteria

Exclusion Criteria

Population: Health status

- Studies that <u>exclusively</u> enroll participants not diagnosed with a disease*
- Studies that enroll some participants:
 - diagnosed with a disease;
 - with severe undernutrition, failure to thrive/underweight, stunting, or wasting;
 - born preterm,[†] with low birth weight,[‡]
 and/or small for gestational age;
 - and/or with the outcome of interest
 - who became pregnant using Assisted Reproductive Technologies;
 - with multiple gestation pregnancies;
 - pre- or post-bariatric surgery;
 - and/or receiving pharmacotherapy to treat obesity

- Studies that exclusively enroll participants:
 - diagnosed with a disease;§
 - hospitalized for an illness, injury, or surgery;***
 - with severe undernutrition, failure to thrive/underweight, stunting, or wasting;
 - born preterm,† with low birth weight,‡ and/or small for gestational age
 - who became pregnant using Assisted Reproductive Technologies;
 - with multiple gestation pregnancies;
 - pre- or post-bariatric surgery;
 - and/or receiving pharmacotherapy to treat obesity

Intervention/ exposure

- Studies that examine consumption of and/or adherence to a dietary pattern [i.e., the quantities, proportions, variety, or combination of different foods, drinks, and nutrients (when available) in diets, and the frequency with which they are habitually consumed], including, at a minimum, a description of the foods and beverages in the pattern of each intervention/exposure and comparator group
 - Dietary patterns may be measured or derived using a variety of approaches, such as adherence to a priori patterns (indices/scores), data driven patterns (factor or cluster analysis), reduced rank regression, or other methods, including clinical trials
- Multi-component intervention in which the isolated effect of the dietary pattern on the outcome(s) of interest is provided or can be determined

- Studies that do not provide a description of the dietary pattern, which at minimum, must include the foods and beverages in the pattern (i.e., studies that examine a labeled dietary pattern, but do not describe the foods and beverages consumed in each intervention/exposure and comparator group)
- Multi-component intervention in which the isolated effect of the dietary pattern on the outcome(s) of interest is not analyzed or cannot be determined (e.g., due to multiple intervention components within groups)

^{*} Studies that enroll participants who are at risk for chronic disease will be included

[†] Gestational age <37 weeks and 0/7 days

[‡] Birth weight <2500g

[§] Studies that exclusively enroll participants with obesity will be included

^{**} Studies that exclusively enroll participants post-cesarean section will be included

Category	Inclusion Criteria	Exclusion Criteria
Comparator	Consumption of and/or adherence to a different dietary pattern	Consumption of and/or adherence to a similar dietary pattern of which only a
	 Different levels of consumption of and/or adherence to a dietary pattern 	specific component or food source s differs between groups
Outcome(s)	 Growth (in infants, toddlers, children, adolescents) 	Gestational weight gain only during certain time periods or trimesters of pregnancy
	 Height, length/stature-for-age 	Absolute total gestational weight gain (i.e., The first temperature defines beautiful to the recommendations beautiful to the recommendations beautiful to the recommendations beautiful to the recommendations beautiful to the recommendation of the recomme
	 Weight, weight-for-age 	not in relation to recommendations based on pre-pregnancy BMI)
	 Stunting, failure to thrive, wasting 	 Weight loss that is specifically classified as unintentional weight loss (e.g., a
	 BMI-for-age, weight-for- length/stature 	component of Frailty)
	Body circumferences (arm, neck, thigh)	
	 Head circumference 	
	 Body composition (in infants, toddlers, children, adolescents, adults, older adults) 	
	 Skinfold thickness 	
	 Fat mass, ectopic fat 	
	 Fat-free mass or lean mass 	
	 Waist circumference, waist-to-hip- ratio 	
	 Risk of obesity (in children, adolescent adults, older adults) 	
	o BMI	
	 Underweight 	
	 Normal weight 	
	 Overweight and/or obesity 	
	o Weight gain	
	 Weight loss and maintenance (in adults, older adults) 	
	 Pregnancy and postpartum-related weight change (in individuals during pregnancy or postpartum) 	
	 Adequacy of total gestational weight gain (i.e., in relation to recommendations based on pre- pregnancy BMI) 	
	 Postpartum weight change 	

Category Inclusion Criteria		Exclusion Criteria	
Confounders	Studies that control for at least one of the key confounders listed in the analytic framework	 Studies that do not control for any of the key confounders listed in the analytic framework 	
Study duration (not applied to pregnancy and postpartum studies)	Intervention length ≥12 weeks	Intervention length <12 weeks	
Size of study	For intervention studies:	For intervention studies:	
groups (not applied to pregnancy and postpartum studies)	 ≥30 participants per study group for between-subject analyses, 	 <30 participants per study group for between-subject analyses, 	
,	 or a power calculation indicating that the study is appropriately powered for the outcome(s) of interest 	 and no power calculation indicating that the study is appropriately powered for the outcome(s) of interest 	
	For observational studies:	For observational studies:	
	 Analytic sample size of ≥1000 participants (only for adults and older adults) 	 Analytic sample size n<1000 (only for adults and older adults) 	
Publication status	Peer-reviewed articles published in research journals	Non-peer reviewed articles, unpublished data or manuscripts, pre-prints, reports, and conference abstracts or proceedings	
Language	Published in English	Not published in English	
Country*	Studies conducted in countries classified as high or very high on the Human Development Index the year(s) the intervention/exposure data were collected	Studies conducted in countries classified as medium or low on the Human Development Index the year(s) the intervention/exposure data were collected	

^{*} The classification of countries on the Human Development Index (HDI) is based on the UN Development Program Human Development Report Office (http://hdr.undp.org/en/data) for the year the study intervention occurred or data were collected. Studies conducted prior to 1990 are classified based on 1990 HDI classifications. If the year is more recent than the available HDI values, then the most recent HDI classifications are used. If a country is not listed in the HDI, then the current country classification from the World Bank is used (The World Bank. World Bank country and lending groups. Available from: https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world- country-and-lending-groups)

Search for and screen studies

NESR librarians, in collaboration with NESR analysts and the Committee, will use the analytic framework and inclusion and exclusion criteria to develop a comprehensive literature search strategy. The literature search strategy will include selecting and searching the appropriate bibliographic databases, translating search using syntax appropriate for the databases being searched, and employing search refinements, such as search filters. For existing reviews, search strategies will be updated, as appropriate, for each database. The full literature search will be available upon request, and will be fully documented in the final review.

The results of all electronic database searches, after removal of duplicates, will be screened independently by two NESR analysts using a step-wise process by reviewing titles, abstracts, and full-texts to determine which articles meet the inclusion criteria. Manual searching will be conducted to find peer-reviewed published articles not identified through the electronic database search. These articles will also be screened independently by two NESR analysts at the abstract and full-text levels.

Extract data and assess the risk of bias

NESR analysts will extract all essential data from each included article to describe key characteristics of the available evidence, such as the author, publication year, cohort/trial name, study design, population life stage at intervention/exposure and outcome, intervention/exposure and outcome assessment methods, and outcomes. One NESR analyst will extract the data and a second NESR analyst will review the extracted data for accuracy. Each article included in the systematic review will undergo a formal risk of bias assessment, with two NESR analysts independently completing the risk of bias assessment using the tool that is appropriate for the study design.*†‡ For review updates, data extraction and risk of bias assessment will be updated, if needed.

Synthesize the evidence

The Committee will describe, compare, and combine the evidence from all included studies to answer the systematic review question. Synthesis of the body of evidence will involve identifying overarching themes or key concepts from the findings, identifying and explaining similarities and differences between studies, and determining whether certain factors impact the relationships being examined. The first level of synthesis organization will be by population including infants and toddlers, children and adolescents, adults, older adults, individuals during pregnancy, and individuals during postpartum. Then, within each of the population groups, the evidence will be organized by similarity in outcome. Depending on the available evidence, the synthesis may be organized by participant characteristics such as race/ethnicity, socioeconomic position, and health status.

Develop [a] conclusion statement[s] and grade the evidence

After the Committee synthesizes the body of evidence, they will draft a conclusion statement or conclusion statements. A conclusion statement is one or more summary statements carefully constructed to answer the systematic review question. It reflects the evidence reviewed, as outlined in the analytic framework (e.g., PICO elements) and synthesis plan, and does not take evidence from other sources into consideration. The

^{*} Sterne JAC, Savovic J, Page MJ, et al. RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ*. Aug 28 2019;366:l4898.doi:10.1136/bmj.l4898

[†] Sterne JA, Hernan MA, Reeves BC, et al. ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. *BMJ*. Oct 12 2016;355:i4919.doi:10.1136/bmj.i4919

[‡] ROBINS-E Development Group., Higgins J, Morgan R, et al. Bias In Non-randomized Studies - of Exposure (ROBINS-E). 2022. https://www.riskofbias.info/welcome/robins-e-tool

Committee will review, discuss, and revise the conclusion statement until they reach agreement on wording that accurately reflect the body of evidence.

The Committee will then assign a grade to each conclusion statement (i.e., strong, moderate, limited, or grade not assignable). The grade communicates the strength of the evidence supporting a specific conclusion statement to decision makers and stakeholders. NESR has predefined criteria, based on five grading elements that the Committee will use to evaluate and grade the strength of the evidence supporting each conclusion statement. The five grading elements are: consistency, precision, risk of bias, directness and generalizability of the evidence. Study design will also be considered during the grading process.

Recommend future research

The Committee will identify and document research gaps and methodological limitations throughout the systematic review process. These gaps and limitations will be used to develop research recommendations that describe the research, data, and methodological advances that are needed to strengthen the body of evidence on a particular topic. Rationales for the necessity of additional or stronger research may also be provided with the research recommendations.

Acknowledgments and funding

The Committee members are involved in: establishing all aspects of the protocol, which presents the plan for how they are planning to examine the scientific evidence, including the inclusion and exclusion criteria; reviewing all studies that meet the criteria the Committee sets; deliberating on the body of evidence for each question; and writing and grading the conclusion statements. The NESR team, with assistance from Federal staff from HHS and USDA (Jean Altman, MS; Kara Beckman, PhD; Dana DeSilva, PhD, RD; Kevin Kuczynski, MS, RD; TusaRebecca Pannucci, PhD, MPH, RD; Julia Quam, MSPH, RND; Elizabeth Rahavi, RD) and Project Leadership (HHS: Janet de Jesus, MS, RD; USDA: Eve Stoody, PhD), supports the Committee by facilitating, executing, and documenting the work necessary to ensure the reviews are completed in accordance with NESR methodology. Contractor support was also provided by Panum Telecom (Emily Madan, PhD; Verena McClain, MSc).

Funding: United States Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Alexandria, VA

Appendix

Appendix 1: Inclusion and exclusion criteria comparison between existing*,†,‡,§ and updated systematic reviews for the research question: What is the relationship between dietary patterns consumed and growth, body composition, and risk of obesity?

Category E	Existing Review	Updated Review	Change and Rationale
•	Randomized controlled trials Non-randomized controlled trials (including quasi-experimental and controlled before and after studies) Quasi-experimental studies (i.e., prospective cohort studies) Excluded: Nested case-control studies Case-control studies Uncontrolled trials Case-control studies Uncontrolled before-and-after studies Narrative reviews Systematic reviews	Included: Randomized controlled trials Non-randomized controlled trials Prospective cohort studies Retrospective cohort studies Nested case-control studies Excluded: Uncontrolled trials ^{††} Case-control studies Cross-sectional studies Ecological studies Narrative reviews Systematic reviews Meta-analyses Modeling and simulation studies Mendelian randomization studies	Study design criteria were modified to enable focus on the stronger body of evidence

^{*} English LK, Obbagy JE, Wong YP, Psota TL, Nadaud P, Johns K, Terry N, Butte NF, Dewey KG, Fleischer DM, Fox MK, Greer FR, Krebs NF, Scanlon KS, Casavale KO, Spahn JM, Stoody E. Types and Amounts of Complementary Foods and Beverages and Growth, Size, and Body Composition: A Systematic Review. April 2019. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.PB242018.SR0306

[†] Boushey C, Ard J, Bazzano L, Heymsfield S, Mayer-Davis E, Sabaté J, Snetselaar L, Van Horn L, Schneeman B, English LK, Bates M, Callahan E, Butera G, Terry N, Obbagy J. Dietary Patterns and Growth, Size, Body Composition, and/or Risk of Overweight or Obesity: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0101

[‡] Dietary Patterns Technical Expert Collaborative and NESR Staff. A Series of Systematic Reviews on the Relationship Between Dietary Patterns and Health Outcomes. March 2014. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://nesr.usda.gov/sites/default/files/2019-06/DietaryPatternsReport-FullFinal2.pdf

[§] Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Pregnancy and Gestational Weight Gain: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0201; Donovan S, Dewey K, Novotny R, Stang J, Taveras E, Kleinman R, Raghavan R, Nevins J, Scinto-Madonich S, Kim JH, Terry N, Butera G, Obbagy J. Dietary Patterns during Lactation and Postpartum Weight Loss: A Systematic Review. July 2020. U.S. Department of Agriculture, Food and Nutrition Service, Center for Nutrition Policy and Promotion, Nutrition Evidence Systematic Review. Available at: https://doi.org/10.52570/NESR.DGAC2020.SR0202

^{**} Including guasi-experimental and controlled before-and-after studies

^{††} Including uncontrolled before-and-after studies

Category	Existing Review	Updated Review	Change and Rationale
	Meta-analyses		
Publication date	 Included: January 1980 – August 2013 Excluded: Before January 1980, after August 2013 	 Included: August 2013 – May 2023* Excluded: Before August 2013, after May 2023 	Dates were modified to enable focus on the most recent evidence.
Population: Study participants	Included: • Human Excluded: • Non-human	Included: • Human Excluded: • Non-human	No change
Population: Life stage	Included: At intervention/exposure and outcome: Children, adolescents, and adults aged 2 years and older Excluded: At intervention/exposure and outcome: Infants and toddlers (birth up to 24 months)	Included: At intervention/exposure: Infants and toddlers (birth up to 24 months) Children and adolescents (2 up to 19 years) Adults and older adults (19 years and older) Individuals during pregnancy Individuals during postpartum At outcome: Children and adolescents (2 up to 19 years) Adults and older adults (19 years and older)	No change other than formatting; In 2020, a separate question on complementary feeding addressed the infants and toddlers life stage and a separate question on dietary patterns during pregnancy and lactation addressed gestational weight gain and postpartum weight loss
Population: Health Status	Included: Subjects who were healthy or at elevated chronic disease risk Excluded: Low-calorie intervention (defined as <1,600 kcal/day for women and <2,000 kcal/day for men)	 N/A Included: Studies that exclusively enroll participants not diagnosed with a disease† Studies that enroll some participants: diagnosed with a disease; with severe undernutrition, failure to thrive/underweight, stunting, or wasting; born preterm,‡ with low birth weight,§ and/or small for gestational age; and/or with the outcome of interest 	No change other than to clarify intent

^{*} This review update date range encompasses the original systematic review date range, which included articles published from January 1980 to August 2013

[†] Studies that enroll participants who are at risk for chronic disease will be included

[‡] Gestational age <37 weeks and 0/7 days

[§] Birth weight <2500g

Updated Review

Change and

Category	Existing Review	Opuated Review	Rationale
	Subjects who were hospitalized, diagnosed with disease, and/or receiving medical treatment	 who became pregnant using Assisted Reproductive Technologies; with multiple gestation pregnancies; pre- or post-bariatric surgery; and/or receiving pharmacotherapy to treat obesity Excluded: Studies that exclusively enroll participants: diagnosed with a disease;* hospitalized for an illness, injury, or surgery;† with severe undernutrition, failure to thrive/underweight, stunting, or wasting; born preterm, 11 with low birth weight, 12 and/or small for gestational age who became pregnant using Assisted Reproductive Technologies; with multiple gestation pregnancies; pre- or post-bariatric surgery; and/or receiving pharmacotherapy to treat obesity 	
Intervention/exposure	 Included: A description of the dietary pattern(s) consumed by subjects (i.e., the quantities, proportions, variety, or combination of different foods, drinks, and nutrients (when available) in diets, and the frequency with which they are habitually consumed), including, at a minimum, a description of the foods and beverages in the pattern) Dietary patterns may be measured or derived using a variety of approaches, such as adherence to a priori patterns (indices/scores), data driven patterns (factor or cluster analysis), reduced rank 	 Studies that examine consumption of and/or adherence to a dietary pattern [i.e., the quantities, proportions, variety, or combination of different foods, drinks, and nutrients (when available) in diets, and the frequency with which they are habitually consumed], including, at a minimum, a description of the foods and beverages in the pattern of each intervention/exposure and comparator group Dietary patterns may be measured or derived using a variety of approaches, such as adherence to a priori patterns (indices/scores), data driven patterns (factor or cluster analysis), reduced rank regression, or other methods, including clinical 	No change other than formatting to clarify intent of the criteria.

^{*} Studies that exclusively enroll participants with obesity will be included

Category

Existing Review

[†] Studies that exclusively enroll participants post-cesarean section will be included

Category	Existing Review	Updated Review	Change and Rationale
	 Studies that do not provide a description of the dietary pattern, which at minimum, must include the foods and beverages in the pattern (i.e., studies that examine 	Multi-component intervention in which the isolated effect of the dietary pattern on the outcome(s) of interest is provided or can be determined	
	a labeled dietary pattern, but do not describe the foods and	Excluded:	
	beverages consumed).	Studies that do not provide a description of the dietary pattern, which at minimum, must include the foods and beverages in the pattern (i.e., studies that examine a labeled dietary pattern, but do not describe the foods and beverages consumed in each intervention/exposure and comparator group)	
		Multi-component intervention in which the isolated effect of the dietary pattern on the outcome(s) of interest is not analyzed or cannot be determined (e.g., due to multiple intervention components within groups)	
Comparator	Included:	Included:	No change other
	 Adherence to a different dietary pattern 	 Consumption of and/or adherence to a different dietary pattern 	than to clarify the intent of the criteria.
	 Different levels of adherence to a dietary pattern 	 Different levels of consumption of and/or adherence to a dietary pattern 	
	Excluded:	Excluded:	
	• N/A	 Consumption of and/or adherence to a similar dietary pattern of which only a specific component or food source is different between groups 	
Outcome(s)	Included:	Included:	Gestational weight
	OverweightBMI	Growth (in infants, toddlers, children, adolescents)	gain outcome criteria were adjusted to focus on the most
	Percent Body Fat	 Height, length/stature-for- age 	clinically meaningful measure.
	Waist Circumference	 Weight, weight-for-age 	Criteria were added that explicitly exclude
	Body Weight	 Stunting, failure to thrive, wasting 	studies that only examine
	ObesityExcluded:	BMI-for-age, weight-for- length/stature	unintentional weight loss to clarify intent
	• N/A	 Body circumferences (arm, neck, thigh)Head circumference 	of the criteria.
		 Body composition (in infants, toddlers, children, adolescents, adults, older adults) 	
		 Skinfold thickness 	
		 Fat mass, ectopic fat 	

Category	Existing Review	Updated Review	Change and Rationale
		o Fat-free mass or lean mass	
		 Waist circumference, waist- to-hip-ratio 	
		 Risk of obesity (in children, adolescents, adults, older adults) 	
		o BMI	
		o Underweight	
		o Normal weight	
		 Overweight and/or obesity 	
		o Weight gain	
		 Weight loss and maintenance (in adults, older adults) 	
		 Pregnancy and postpartum-related weight change (in individuals during pregnancy or postpartum) 	
		 Adequacy of total gestational weight gain (i.e., in relation to recommendations based on pre-pregnancy BMI) 	
		o Postpartum weight change	
		Excluded:	
		 Gestational weight gain only during certain time periods or trimesters of pregnancy 	
		 Absolute total gestational weight gair (i.e., not in relation to recommendations based on pre- pregnancy BMI) 	1
		 Weight loss that is specifically classified as unintentional weight loss (e.g., a component of Frailty) 	3
Confounders	Included	Included:	Criteria were added
	• n/a	Studies that control for one or more	to enable focus on a stronger body of
	<u>Excluded</u>	of the key confounders listed in the analytic framework	evidence.
	• n/a	Excluded:	
		Studies that do not control for any of the key confounders listed in the analytic framework	
Study duration	Included	<u>Included</u>	Study duration
	• n/a	Intervention length ≥12 weeks	criteria were modified to enable focus on a
	Excluded	<u>Excluded</u>	stronger body of
	• n/a	 Intervention length <12 weeks 	evidence

Category	Existing Review	Updated Review	Change and Rationale
Size of study groups	Included Randomized or nonrandomized controlled trial with at least 30 subjects per study arm and a follow-up rate of at least 80 percent, or a prospective cohort study Excluded Studies with less than 30 subjects per study arm or a follow-up rate of less than 80 percent	Included • For intervention studies: ○ ≥30 participants per study group for between-subject analyses, ○ or a power calculation indicating that the study is appropriately powered for the outcome(s) of interest • For observational studies: ○ An analytic sample size of ≥1,000 participants (for adults, older adults) Excluded • For intervention studies:	Rationale Size of study groups criteria were modified to enable focus on a stronger body of evidence
		 <30 participants per study group for between-subject analyses, and no power calculation indicating that the study is appropriately powered for the outcome(s) of interest For observational studies: An analytic sample size of <1,000 participants (for adults, older adults) 	
Publication status	Peer-reviewed articles published in research journals Excluded Non-peer reviewed articles, unpublished data or manuscripts, pre-prints, reports, and conference abstracts or proceedings	Peer-reviewed articles published in research journals Excluded Non-peer reviewed articles, unpublished data or manuscripts, pre-prints, reports, and conference abstracts or proceedings	No change
Language	Included Published in English Excluded Not published in English	 Included Published in English Excluded Not published in English 	No change
Country*	Included	<u>Included</u>	NESR now applies the Human

* The classification of countries on the Human Development Index (HDI) is based on the UN Development Program Human Development Report Office (http://hdr.undp.org/en/data) for the year the study intervention occurred or data were collected. If the study does not report the year(s) in which the intervention/exposure data were collected, the HDI classification for the year of publication is applied. Studies conducted prior to 1990 are classified based on 1990 HDI classifications. If the year is more recent than the available HDI values, then the most recent HDI classifications are used. If a country is not listed in the HDI, then the current country classification

Category E	xisting Review	Updated Review	Change and Rationale
•	Subject populations from countries with high or very high human development, according to the 2011 Human Development Index	Studies conducted in countries classified as high or very high on the Human Development Index the year(s) the intervention/exposure data were collected	Development Index classification from the year in which the intervention/exposure data were collected.
<u>E</u> :	xcluded	Excluded	
•	Studies conducted in countries classified as medium or low on the 2011 Human Development Index.	Studies conducted in countries classified as medium or low on the Human Development Index the year(s) the intervention/exposure data were collected	

from the World Bank is used (The World Bank. World Bank country and lending groups. Available from: https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world- country-and-lending-groups)